


Chart of categories and materials

Guida alle tipologie e ai materiali

LIGHTING	SUSPENSION VERSION	TABLE VERSION	FLOOR VERSION	WALL VERSION	METAL	PLASTIC MATERIAL	OUTDOOR VERSION
Colette	●	●	●	●	●	●	●
Giravolta	●	●	●	●	●	●	●
Happy Apple	●	●	●	●	●	●	●
L001 CW SUSPENSION	●	●	●	●	●	●	●
L001 S SUSPENSION	●	●	●	●	●	●	●
L001 ST FLOOR	●	●	●	●	●	●	●
L001 SW SUSPENSION	●	●	●	●	●	●	●
L001 T FLOOR	●	●	●	●	●	●	●
L001 TA TABLE	●	●	●	●	●	●	●
L001 W WALL	●	●	●	●	●	●	●
L002 CW SUSPENSION	●	●	●	●	●	●	●
L002 S SUSPENSION	●	●	●	●	●	●	●
L002 ST FLOOR	●	●	●	●	●	●	●
L002 SW SUSPENSION	●	●	●	●	●	●	●
L002 T FLOOR	●	●	●	●	●	●	●
L002 W WALL	●	●	●	●	●	●	●
L004 CW SUSPENSION	●	●	●	●	●	●	●
L004 S SUSPENSION	●	●	●	●	●	●	●
L004 SW SUSPENSION	●	●	●	●	●	●	●
L004 W WALL	●	●	●	●	●	●	●
Time Out	●	●	●	●	●	●	●

Legend

Legenda



All dimensions are expressed in millimeters
Tutte le dimensioni sono espresse in millimetri



Product suitable for outdoor use
Prodotto adatto per utilizzo in esterni



Product not recommended for outdoor use
Prodotto non adatto per utilizzo in esterni



Declaration of European conformity
Dichiarazione di conformità Europea

Lighting index

Indice lampade

PRODUCT NAME NOME PRODOTTO	PAGE PAGINA	PRODUCT NAME NOME PRODOTTO	PAGE PAGINA
Colette	032	L002	088
L003TA TABLE	036	L002 CW SUSPENSION	110
L003TB TABLE	038	L002 S SUSPENSION	096
Giravolta	010	L002 ST FLOOR	100
1799 TABLE	016	L002 SW SUSPENSION	098
1799/50 TABLE	020	L002 T FLOOR	102
1799/130 FLOOR	022	L002 W WALL	099
Happy Apple	140	L004	114
330, 331, 332 FLOOR	148	L004 CW SUSPENSION	129
330A WALL	140	L004 S SUSPENSION	119
330E - 331E SUSPENSION / FLOOR	147	L004 SW SUSPENSION	120
332E FLOOR	150	L004 W WALL	121
330S, 331S SUSPENSION	146	Time Out	133
L001	046		
L001 CW SUSPENSION	070		
L001 S SUSPENSION	054		
L001 ST FLOOR	064		
L001 SW SUSPENSION	058		
L001 T FLOOR	066		
L001 TA TABLE	060		
L001 W WALL	062		

“Light is warm,
light is cold,
light gives atmosphere,
light decorates,
light creates intimacy”

ALBERTO BASAGLIA NATALIA ROTA NODARI

“La luce è calda,
la luce è fredda,
la luce fa atmosfera,
la luce arreda,
la luce crea intimità”

Giravolta

The wireless outdoor lighting

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2017

EN — Inspired by Lanterns of times past, it is a wireless lighting distinguished by a contemporary design and suitable for outdoor environments. The name reflects its essence: the swivelling diffuser and the rechargeable feature recalls the great inventor Alessandro Volta and his main discovery, the battery.

IT — Ispirata alle lanterne di un tempo, Giravolta è una lampada wireless ricaricabile dal design contemporaneo, adatta per l'outdoor. Nel nome tutta la sua essenza: da un lato il suo diffusore orientabile, dall'altro il suo essere ricaricabile da cui il riferimento ad Alessandro Volta e alla sua principale invenzione, la pila.



Lighting lampada Giravolta
Lounge armchair poltrona lounge Babila Comfort
Pouf Buddy
Coffee table tavolino Buddy
Cushion cuscino Social Plus



EATING



LIVING




Lighting

Lampada




1799





FLOOR / DA TERRA



FLOOR / DA TERRA





Caffè del Tasso

Piazza Vecchia
Bergamo, Italy

Project: Café & Restaurant

Products: Giravolta lighting, Nolita side chair, armchair, barstool and table, Liberty table, Ara armchair, Glam chair

#Pedraligoodideas

Salone Internazionale
del Mobile 2018
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: Giravolta lighting,
Reva sofa and lounge armchair,
Buddy coffee table





Bohem La Stazione

Paratico, Italy

Project: Florist, Café & Restaurant

Products: Giravolta lighting,
Tweet armchair, Inox table, Log armchair,
Nolita armchair, chaise-longue and table





Temporary installation

Paratico, Italy

Project: Outdoor
Products: Giravolta lighting,
Intrigo armchair, Laja table





Pedrali Solid Geometry

Salone Internazionale
del Mobile 2017
Milan, Italy

Project: Exhibition stand
Architect: CalviBrambilla
Products: Giravolta lighting, Nolita table,
armchair and chaise-longue

SIZES / DIMENSIONI

1799

Wireless polypropylene
and aluminium lighting

1799/50

Wireless polypropylene
and aluminium lighting

1799/130

Wireless polypropylene
and aluminium lighting

1799_MGN_10

Magnet kit, suitable for items
1799 and 1799/50



electrical features / caratteristiche elettriche


- **Light:** LED ARRAY 2W 3,7V 500mA 3000K 157 lm Class III
- **Battery:** Lithium battery (Li-Po), over 8 hours operating time
- **Cable:** black, length 1,3 mtrs, with micro USB cable and battery charger with Europlug type C (europlug 7/16), for indoor use

AWARDS / PREMI



FINISHES / FINITURE

polypropylene and aluminium / polipropilene e alluminio



CERTIFICATES / CERTIFICAZIONI

EN 60598-2-4:1997 used in compliance with EN 60598-1:2015 (test report 0099CE17)
EN 60598-2-4:1997 usato in conformità con EN 60598-1:2015 (test report 0099CE17)

IP65 Suitable for outdoor use / IP65 Adatto per uso esterno



Colette

Iconic light

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2013

EN — Colette is a table or bedside lamp in polycarbonate that stands out for its sculptural shapes and the colour. A translucent cylinder diffuses the light only in correspondence of the half-sphere. Its transparency gives lightness to the whole lamp.

IT — Colette è una lampada da tavolo o da comodino in policarbonato che si esprime attraverso la plasticità delle forme e il colore. Un cilindro traslucido tenta di imprigionare la luce che si libera pienamente solo in corrispondenza della semisfera che con la sua trasparenza dona leggerezza all'intera lampada.



LIVING

Lighting lampada Colette
Low table tavolino Malmö
Lounge armchair poltrona lounge Malmö Relax



SLEEPING

Lighting lampada Colette
Low table tavolino Code
Pouf Wow



Lighting
Lampada







Pedrali Solid Geometry


Salone Internazionale
del Mobile 2017
Milan, Italy

Project: Exhibition stand
Architect: CalviBrambilla
Products: Colette L003TB lighting,
Oblique bar counter

#Pedraligoodideas

Salone Internazionale
del Mobile 2018
Milan, Italy

Project: Exhibition stand
Architect: CalviBrambilla
Products: Colette L003TB lighting,
Oblique bar counter



Industrial Symphony

Pedrali Headquarters,
Mornico al Serio, Italy

Project: Showroom
Architect: CalviBrambilla
Products: Colette L003TB lighting,
Oblique bar counter, Babila barstool



Pedrali Light frames

Salone Internazionale
del Mobile 2015
Milan, Italy

Project: Exhibition stand


Architect: Migliore+Servetto Architects

Products: Colette L003TA and L001 S/BA lighting,
Ester side chair and armchair, Inox table,
Modus modular seating, Stylus table,
Malmö armchair, Tivoli side chair and armchair

SIZES / DIMENSIONI

L003TA

Polycarbonate lighting




L003TB

Polycarbonate lighting



FINISHES / FINITURE

polycarbonate / policarbonato



BI

RT

FU

TR

BT
L003TA
only

GT
L003TA
only

cable / cavo



TR

electrical features / caratteristiche elettriche

- Light L003TA: MAX 1X12W E14 220-240V 50/60 Hz IP20 Class II
- Light L003TB: MAX 1X24W E27 220-240V 50/60 Hz IP20 Class II

Light bulb included
Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009 (test report N°0146CE13 • N° 0260CE16)
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 + A11:2009 (test report N°0146CE13 • N° 0260CE16)

CE Declaration of European conformity
Dichiarazione di conformità Europea

L001

Lighting time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2009

EN — L001 is a collection of indoor lamps with a iconic design consisting of two polycarbonate diffusers, thanks to its modularity creates up to five different combinations. An aery atmosphere made possible by a translucent diffuser as the glass, but with the features of moulded polycarbonate.

IT — L001 è una collezione di lampade indoor dal design rigoroso composta da elementi, tra i quali due diffusori in policarbonato capaci di creare fino a cinque diverse combinazioni. Un'atmosfera eterea resa possibile da un diffusore traslucido come il vetro, ma con tutte le qualità del policarbonato stampato.



MEETING



LOUNGING



Lighting lampada L001SW/A
Side chair sedia Osaka
Armchair poltrona Osaka
Modular seating seduta modulare Modus
Table tavolo Inox



EATING



Lighting lampada L001W40/A
Armchair poltrona Vic
Modular seating seduta modulare Modus
Table tavolo Inox

WAITING



Lighting lampada L001ST/B
Lounge armchair poltrona lounge Malmö Lounge, Malmö Relax
Coffee table tavolino Malmö

Lighting

Lampada



L001S/A

Polycarbonate diffuser,
white glossy finish
Diffusore in policarbonato,
finitura bianco lucido



L001S/AA

Two polycarbonate
diffusers, glossy finish
Due diffusori in policarbonato,
finitura lucida



EASY LINK
patented system
Sistema EASY LINK
brevettato



Polycarbonate diffuser,
soft-touch finish
Diffusore policarbonato,
finitura soft-touch



L001S/BA



L001S/B





WALL / DA PARETE



Polycarbonate diffuser,
matt black laquered
Diffusore in policarbonato
laccato nero opaco

L001W40/A

WALL / DA PARETE



Steel tube frame
Telaio in tubo di acciaio

L001W40/B



L001W20/AA



L001W90/B



L001ST/B



L001ST/BA



L001T/B



L001T/BA



Transparent atmospheres

IMM 2018
Cologne, Germany

Project: Exhibition stand
Architect: CalviBrambilla
Products: L001SW/BA lighting,
Fox armchair, Babila table



Pedrali Solid Geometry

Salone Internazionale
del Mobile 2017
Milan, Italy

Project: Exhibition stand
Architect: CalviBrambilla
Products: L001CW/AA and L001ST/B
lighting, Arki-Table, Babila armchair

Industrial Symphony

Pedrali Headquarters,
Mornico al Serio, Italy

Project: Showroom
Architect: CalviBrambilla
Products: L001CW/AA lighting,
Jazz barstool, Ikon table





Cadebasi Franciacorta

Erbusco, Italy

Project: Café & Restaurant
Products: L001CW/AA lighting,
 Jil barstool, Babila side chair,
 Arki-Base table, Arki-Table, Modus
 modular seating, Dome side chair

Pedrali Urban Life

Salone Internazionale
 del Mobile 2016
 Milan, Italy

Project: Exhibition stand
Architect: Migliore+Servetto Architects
Products: L001CW/A and L001CW/B
 lighting, Social and Social Plus modular
 seatings, Inox table, Malmö table,
 Stylus table, Babila barstool



Temporary Installation

Bergamo, Italy

Project: Coffee bar

Products: L001S/B lighting,
Day Dream chair



Pedrali Urban Life

Salone Internazionale
del Mobile 2016
Milan, Italy

Project: Exhibition stand

Architect: Migliore+Servetto Architects

Products: L001W90/A lighting, Modus
modular seating, Inox table, Tivoli side chair
and armchair, Malmö side chair and armchair,
Ester side chair and armchair



Pedrali Light Frames

Salone Internazionale
del Mobile 2015
Milano, Italy

Project: Exhibition stand
Architect: Migliore+Servetto Architects
Product: L001ST/B lighting, Malmö Relax
loung armchair and coffee table

Pedrali Flying Boxes

Salone Internazionale
del Mobile 2014
Milano, Italy

Project: Exhibition stand
Architect: Migliore+Servetto Architects
Product: L001S/A lighting,
Brera barstool



L001S/A

Suspension lamp with polycarbonate diffuser




L001S/B

Suspension lamp with polycarbonate diffuser



L001SW/A

Suspension lamp with polycarbonate diffuser



L001SW/B

Suspension lamp with polycarbonate diffuser



L001S/AA* (A+A)

Suspension lamp with two polycarbonate diffusers



L001S/BB* (B+B)

Suspension lamp with two polycarbonate diffusers



L001SW/AA* (A+A)

Suspension lamp with two polycarbonate diffusers



L001S/BA* (B+A)

Suspension lamp with two polycarbonate diffusers




L001SW/BA* (B+A)

Suspension lamp with two polycarbonate diffusers



*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

ceiling rose / rosone



electrical features / caratteristiche elettriche

- **L001S Light:** MAX 1X75W E27 220-240V 50-60 Hz IP20 Class I
- **L001SW Light:** MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L001S
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N°0262CE12)

L001SW
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI

L001CW/A_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



L001CW/B_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



L001CW/AA*_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



L001CW/BA*_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco


electrical features / caratteristiche elettriche

- **L001CW Light:** MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


L001CW
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI


L001TA/A

Table lamp, steel frame, polycarbonate diffuser



L001TA/AA* (A+A)

Table lamp, steel frame, two polycarbonate diffusers



*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



_BI300
White
Bianco

_NERO
Black
Nero

electrical features / caratteristiche elettriche

- **L001TA Light:** MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4: 1997 used in compliance with EN 60598-1:2008+A11:2009 (test report N°0087CE10)
EN60598-2-4: 1997 used in conjunction with EN 60598-1:2008+A11:2009 (test report N°0087CE10)



SIZES / DIMENSIONI

L001W20/A

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



L001W40/A

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



L001W90/A

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



L001W20/AA* (A+A)

Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers



L001W40/AA* (A+A)

Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers



L001W90/AA* (A+A)

Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers



L001W40/B

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



L001W90/B

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



L001W40/BA* (B+A)

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



L001W90/BA* (B+A)

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



*Inner diffuser = colour BI only
Diffusore interno = solo colore BI


FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

frame / struttura



NEF
Matt black
Nero opaco

_OA
Antique brass
Ottone anticato

electrical features / caratteristiche elettriche

- L001W Light: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI

L001ST/B

Floor lamp, steel frame, polycarbonate diffuser



L001ST/BA* (B+A)

Floor lamp, steel frame, two polycarbonate diffusers



*Inner diffuser = colour BI only
Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio




electrical features / caratteristiche elettriche

- L001ST Light: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008+A11:2009 (test report N°0087CE10)
EN60598-2-4:1997 used in conjunction with EN 60598-1:2008+A11:2009 (test report N°0087CE10)



SIZES / DIMENSIONI

L001T/B

Floor lamp version with a steel base, polycarbonate diffuser, foot pedal to switch on



L001T/BA* (B+A)

Floor lamp version with a steel base, two polycarbonate diffusers, foot pedal to switch on



*Inner diffuser = colour BI only
Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



electrical features / caratteristiche elettriche

- L001T Light: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class I

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 (test report N°0285CE09)
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 (test report N°0285CE09)



FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato

transparent / trasparente




TR

FU

RT

VL
Diffuser A
only

solid colour



NE

BI

CR
Diffuser A
only

soft-touch coated / verniciato finitura soft-touch



BE

GA

RM

NS

VE



L002

Lighting Time

DESIGN
Alberto Basaglia - Natalia Rota Nodari, 2011

EN — Distinguished by soft and sinuous shapes, the L002 collection is the result of combining two moulded polycarbonate shells. The inner shell diffuses the light and hides the bulb, while the outer diffuser comes in different colours.

IT — Caratterizzata da forme morbide e sinuose, la collezione L002 nasce dall'unione di due gusci in policarbonato stampato. Il guscio interno diffonde la luce nascondendo la lampadina; quello esterno può essere in diversi colori.



Lighting lampada L002T/BA
Sofa divano Social Plus
Coffee table tavolino Code



EATING

Lighting lampada L002S/BA
Side chair sedia Babila
Table tavolo Ikon Big



WORKING

Lighting lampada L002T/BA
Chair sedia Koi-Booki
Table tavolo Arki-Table



WORKING

WORKING



Lighting lampada L002T/BA
Armchair poltrona Laja
Table tavolo Arki-Table
Pot vaso Kado 2
Umbrella stand portaombrelli Brik
Clotheshanger appendiabiti Flag Wall

Lighting

Lampada



Polycarbonate diffusers
white glossy finish
Diffusori in policarbonato
bianco lucido



Stainless steel
hanging cable
and transparent
electric cable
Cavo in acciaio
portante con cavo
elettrico trasparente



SUSPENSION / SOSPENSIONE



WALL / DA PARETE





Steel structure,
matt finish
Struttura in acciaio,
finitura opaca

L002ST/BA





L002T/BA





Private house

Milan, Italy

Project: Private house

Products: L002T/BA and L002ST lighting,
Noa side chair, Arki-Table

Transparent atmospheres

IMM 2018
Cologne, Germany

Project: Exhibition stand
Architect: CalviBrambilla
Products: L002SW/BA lighting,
Arki-Table, Nym side chair and armchair





Private office


Bergamo, Italy

Project: Office
Products: L002ST/BA lighting,
 Host modular seating,
 Noa side chair

SIZES / DIMENSIONI


L002S/BA

Suspension lamp with two polycarbonate diffusers



L002SW/BA


Suspension lamp with two polycarbonate diffusers



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

ceiling rose / rosone



electrical features / caratteristiche elettriche


- Light L002S: MAX 1x75W E27 220-240V 50-60Hz IP20 Class I
- Light L002SW: MAX 1x23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L002S
 EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
 EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)


L002SW
 EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
 EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)



SIZES / DIMENSIONI

L002CW/BA_3, 6, 8

Suspension lamp with two polycarbonate diffusers, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco


electrical features / caratteristiche elettriche

- Light L002CW: MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


L002CW
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)



SIZES / DIMENSIONI

L002W40/BA

Wall lamp with visible black cable and steel frame in matt finish, two polycarbonate diffusers



L002W90/BA

Wall lamp with visible black cable and steel frame in matt finish, two polycarbonate diffusers



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

steel frame / struttura in acciaio



NEF
Matt black
Nero opaco



_OA
Antique brass
Ottone anticato

electrical features / caratteristiche elettriche

- Light L002W: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)



SIZES / DIMENSIONI


L002T/BA

Polycarbonate diffusers, steel frame



L002ST/BA

Two polycarbonate diffusers, steel frame




FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato

transparent / trasparente

solid colour




soft-touch coated / verniciato finitura soft-touch



FINISHES / FINITURE

steel base / base in acciaio

electrical features / caratteristiche elettriche




- Light L002T: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II
Light bulb excluded / Lampadina esclusa
- Light L002ST: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II
Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

L002T
EN60598-2-4:1997 used in compliance with EN 60598-1:2008 (test report N°0146CE11)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N°0146CE11)

L002ST
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)



L004

Lighting Time

DESIGN
Alberto Basaglia - Natalia Rota Nodari, 2014

EN — L004 is a natural development of model L002. The outer diffuser vanishes showing the sinuous outlines of the inner diffuser in moulded polycarbonate. Defined by soft sleek lines, the collection consists of suspension lamps.

IT — L004 nasce da un'evoluzione naturale di L002. Il guscio esterno scompare a scoprire le linee sinuose del diffusore interno in policarbonato stampato. Caratterizzata da morbidezza e sinuosità, la collezione si compone di lampade a sospensione.



EATING



Lighting lampada L004S/A
Chair sedia Brera
Table tavolo Fabbrico
Barstool sgabello Brera

EATING

EATING

Lighting lampada L004SW/A
Chair sedia Frida
Table tavolo Inox



Lighting lampada L004S/A
Table Tavolo Ikon Big
Armchair poltrona Gliss



L004S/A

Lighting Lampada



Polycarbonate diffuser,
soft-touch finish
Diffusore policarbonato,
finitura soft-touch



Visible cable and matt
painted metal frame
available in two sizes
Cavo a vista e braccio
in metallo verniciato
opaco in due dimensioni



Transparent atmospheres

IMM 2018
Cologne, Germany

Project: Exhibition stand
Architect: CalviBrambilla
Products: L004SW/A lighting, Babila armchair and table, Babila Comfort lounge chair, Malmö coffee table, Fox armchair



Ironic Office

Orgatec 2016
Cologne, Germany

Project: Exhibition stand
Architect: CalviBrambilla
Products: L004S/A lighting,
Arki-Table, Dome side chair





Private house

Desenzano del Garda, Italy

Project: Private house

Products: L004SW/A lighting,
Babila side chair, Ikon Big table

Industrial Symphony

Pedrali Headquarters,
Mornico al Serio, Italy

Project: Showroom

Architect: CalviBrambilla

Products: L004SW/A lighting,
Arki-Table, Laja Wings armchair,
Vic armchair, Ikon table



SIZES / DIMENSIONI

L004S/A

Polycarbonate diffuser,
white ceiling rose transparent cable




L004SW/A

Polycarbonate diffuser,
black ceiling rose and cable



FINISHES / FINITURE

ceiling rose / rosone



electrical features / caratteristiche elettriche


- Light L004S: MAX 1x75W E27 50-60Hz 220-240V IP20 Classe I
- Light L004SW: MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L004S
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N°0262CE12)

L004SW
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI

L004CW/A_3/6/8

Suspension lamp with two
polycarbonate diffusers, cable
length 3000, 6000, 8000 mm,
with 2, 4, 5 cable clamp



FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

electrical features / caratteristiche elettriche

- Light L004CW: MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI

L004W40/A

Wall applique version, visible black cable and powder coated steel frame in matt finish



L004W90/A

Wall applique version, visible black cable and powder coated steel frame in matt finish



FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

steel frame / struttura in acciaio



_OA
Antique brass
Ottone anticato



NEF
Matt black
Nero opaco


electrical features / caratteristiche elettriche

- **Light L004W:** MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato

soft-touch coated / verniciato finitura soft-touch



Time Out

Soft atmosphere

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2011

EN — Time Out is a floor lamp in polyethylene designed to illuminate gardens, terraces and outdoor spaces. Simple and well-made, its archetyp design offers practical handling. Time Out is particularly suitable for valorizing contemporary or classic environments.

IT — Time Out è una lampada da terra in polietilene stampato pensata per illuminare giardini, terrazze e zone outdoor. Pratica da movimentare, grazie alla sua forma archetipica, Time Out è particolarmente adatta per inserirsi in ambienti contemporanei o classici.



Lighting
Lampada



**Floor lamp in rotational
moulded polyethylene**
Lampada da terra in polietilene
stampato in rotazionale

T_OUT/BI_LUCE



Touchpoint Co-Design experiments

La Triennale di Milano, Italy

Project: Temporary conference room

Products: Time Out lighting,
Happy Apple lighting, Giravolta lighting,
Ara Lounge armchair, Nolita table.



Nò-Do

Paratico, Italy

Project: Restaurant

Products: Time Out lighting,
Happy Apple lighting, Ara side chair
and armchair, Ikon table, Twig chair,
Ypsilon table





Private house

Bergamo, Italy

Project: Outdoor

Products: Time Out lighting,
Tetris bar counter, Kado pot

SIZES / DIMENSIONI


T_OUT/BI_LUCE
Polyethylene lighting

T_OUT_FIX
Floor fixing kit



FINISHES / FINITURE

polyethylene / polietilene



BI

electrical features / caratteristiche elettriche

- **Light:** MAX 2x27W E27 220-240V 50/60 Hz IP44 Class II

Lighting kit included / Kit illuminazione compreso

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009 (test report N°0280CE11)
EN60598-2-4:1997 used in conjunction with EN 60598-1:2008 + A11:2009 (test report N°0280CE11)

CE Declaration of European conformity
Dichiarazione di conformità Europea

Happy Apple


Lighting temptation

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2012

EN — Happy Apple is a collection of lamps made-up of polyethylene lighting body that perfectly fits both indoor and outdoor use. Multipurpose and versatile, it can be a suspension lamp, a floor lamp or an applique.

IT — Happy Apple è una collezione di lampade realizzata con corpo illuminante in polietilene che si adatta perfettamente sia all'uso interno sia alla collocazione outdoor. Polivalente e versatile, può essere una lampada a sospensione, da terra, oppure un'applique da parete.



WORKING

WORKING



Lighting lampada Happy Apple
Armchair poltrona Log
Table tavolo Arki-Table
Coffee table tavolino Code
Lounge armchair poltrona lounge Log

Lighting


Lampada





Suspension version
for indoor use
Versione a sospensione
per indoor
Ø 500 mm


330S



Energy class A bulb
Lampadina di classe
energetica A

330E





Floor lamp version for outdoor,
optional fixing kit on the floor
Versione da terra per outdoor,
kit di fissaggio a terra opzionale
Ø 1200 mm

332E





Private house

Brescia, Italy

Project: Private house

Products: Happy Apple 330E,
331E, 332E lighting



Bulgari Hotel Milano

Milan, Italy

Project: Temporary installation

Architect: Migliore+Servetto Architects

Product: Happy Apple 330E,
331E, 332E lighting





Štravs Gostilna

Šmarje pri Jelšah, Slovenia

Project: Restaurant

Architect: Ab objekt d.o.o.

Products: Happy Apple 330E, 331E, 332E lighting, Ikon table, Babila armchair, Malmö armchair, Osaka Metal barstool, Gliss Lounge armchair

Settepertredici

Brescia, Italy

Project: Outdoor

Products: Happy Apple 330E, 331E, 332E lighting, Host Lounge modular seating, Igloo bar counter, Rubik barstool





A Wheel for Pedrali

Salone Internazionale
del Mobile 2012
Milan, Italy

Project: Exhibition stand
Architect: Migliore+Servetto Architects
Products: Happy Apple 330E,
331E lighting, Tetris bar counter

Green Design


Piazza Antico Lavatoio
Bergamo, Italy

Project: Temporary installation
Products: Happy Apple 330E lighting,
Ikon bench modular seating,
Giravolta lighting, Ara Lounge armchair



SIZES / DIMENSIONI

330E
Floor polyethylene
lighting for outdoor



Suspension polyethylene
lighting for outdoor



331E
Floor polyethylene
lighting for outdoor



Suspension polyethylene
lighting for outdoor



332E
Floor polyethylene lighting
for outdoor




FINISHES / FINITURE

polyethylene / polietilene



cable, cap and handle / cavo, tappo e maniglia



BI



VE

electrical features / caratteristiche elettriche

- **Light:**
330E MAX 1x15W E27 220-240V 50/60 Hz IP20 Class II
331E • 332E: MAX 1x32W E27 220-240V 50/60 Hz IP65
Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 + A11:2009



Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

330
Floor polyethylene lighting



330S
Suspension polyethylene lighting



331
Floor polyethylene lighting




331S
Suspension polyethylene lighting



332
Floor polyethylene lighting



330A
Wall/ceiling polyethylene lighting




FINISHES / FINITURE


polyethylene / polietilene

cap and handle / tappo e maniglia


ceiling rose / rosone



BI



BI



RB

electrical features / caratteristiche elettriche

- **Light:**
330S • 331S: MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II
330A: MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II
330: MAX 1x15W E27 220-240V 50/60 Hz IP20 Class II
331 • 332: MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II
Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 + A11:2009



Declaration of European conformity
Dichiarazione di conformità Europea

Pedrali Lighting | Edition June 2018

Creative & design direction Leftloft

Print Intese Grafiche

Copyright © 2018, Pedrali S.p.A. All rights reserved

Photo credits

BHM Studio

Beppe Brancato

Mattia Pagani

Ottavio Tomasini

Chiara Berselli

Elisabetta Brian

Matej Lozar

Thanks to

Alessi

Bohem Fiori

CC-Tapis

Gio Pastori

Interno 8

Livellara

Marazzi

Mario Luca Giusti

Mepra

Moleskine

Society

Styling

Elena Caponi

Sissi Valassina

Pesi, dimensioni e colori sono indicativi. Pedrali si riserva la facoltà di apportare modifiche o migliorie senza alcun preavviso.

Weights, measurements and colours are indicative. Pedrali reserves the right to modify or upgrade the products without prior notice.

Industrial property right | Diritto di proprietà industriale

I contenuti del presente catalogo, quali, a titolo esemplificativo, le opere, le immagini, le fotografie, i documenti, i disegni, le figure, i loghi ed ogni altro materiale, in qualsiasi formato, pubblicato sono protetti a livello mondiale dal diritto d'autore e da ogni altro diritto di proprietà intellettuale di PEDRALI.

The contents of the present catalogue such as, by way of example, the works, the images, the pictures, the documents, the drawings, the forms, the logos and all other materials, published in any format, are worldwide protected by copyrights and any other industrial intellectual property right of Pedrali.

